


and forward and charged female for 5 or 6 feet. While standing near the ♂ also stamped alternately the right & left feet. Each stamp caused the penis to drop $\frac{1}{2}$ " to 1" then gradually recede. Sometimes the ♂ would chase ♀ at full speed but most of the time trailed at same speed as ♀.

A young ♂ patronized ♀ and then instead licked hair on back and face and neck.

Because most of these deer are humanized and fed, males pursuing females will frequently pass within 2' of a person but in no case have I observed aggressive behavior toward the person.

Oct 22, 1993

Alan (Skip) Peralta of Lopez Island reports a fossillike form in Chuckanut Bay. Evidence was viewed at some distance thru binoculars.



Oct 22, 1993 (Cont)

5 ♀ and 4 ♂ hooded mergansers in Humphrey Lagoon. In summer the lagoon is used by glaucous-winged gulls and american crows.

Since the remodeling of back porch, the large flat feeder has been removed and feeding is by regular cylinder. Daily sightings are: 2-3 purple finch or every other day, 1-3 dark-eyed juncos daily, 1 rufous-sided towhee daily. Crows in numbers has stopped since large feed dismantled. Bald eagle sightings increased to 1-2 daily.

The last 3 days has been the height of insustuous activity of mule deer.

Oct 26, 1993

sunrise 8:08:30 A.M.

