

- 390813-155  
 9-8-13-39) *Peromyscus* 141-64-20-15 gr ♂ testis 5.5 m.m. trap 29  
 0-8-13-39) *Reithrodontomys* 152-76-18-12 gr ♂ testis 7 m.m. trap 35  
 1-8-13-39) *Onychomys* 121-38-29.5-20 gr ♂ testis 6.5 trap 42  
 2-8-13-39) *Dipodomys* 241-142-39-43 ♂ testis 5 m.m. trap 131  
 measurement and preparation of mammals from research area no  
 A-8-11-39 at 8:20 A.M.  
 13-8-13-39) Antelope Chipmunk. 204-65-36-95 - ♀. uterus normal. <sup>trap</sup> 6.

Inspection of research area A-8-12-39 30 minutes before sundown.

1. sprung	46 uneffected	68-70 bait gone	126- bait gone
2. bait gone	47 bait gone	71 uneffected	127 sprung
3 bait gone	48 " "	72-77 uneffected	128 bait gone
4 bait gone	49 uneffected	78 sprung	129 bait gone
5 bait gone	50-53 bait gone	79 uneffected	130 uneffected
6 bait gone	54 uneffected	80 bird foot	131 uneffected.
7-27 bait gone	55 " "	81-82 uneffected	
28 sprung bait gone	56 uneffected	83 bait gone	
29 sprung	57 bait gone	84-106 uneffected	At sundown
30 uneffected	58 uneffected	107 bait gone	found 2 <i>Sylva-</i>
31-33 bait gone	59 sprung bait gone	108-112 uneffected	logus feeding
34 uneffected	60 bait gone	113 bait gone	on the south
35 " "	61 bait gone	114 " "	side of the hill
36 bait gone	62 " "	115-116 sprung	and night hawk
37 bait gone	63 bait gone	117-122 uneffected	flying about
38 bait gone	64 " "	123 bait gone	at sundown.
39-45 bait gone	65 " "	124 uneffected	proper.
	66 uneffected	125 "	
	67- bait gone		

It is interesting to note that the traps on the flats were nearly all effected by the ants while the traps among the rocks and cliffs were relatively free from the depredations of the ants and insects. It gives one a fairly good idea as to their distribution.

8-14-39 Station 2 Chimney Rock Pass.

after breakfast made inspection of research area A-8-12-39 at 5:30 A.M. which was 30 minutes after sun up.

1-2 uneffected	26. bait gone	50. sprung.	80 uneffected
3- <i>Reithrodontomys</i>	27 <i>Reithrodontomys</i>	51 <i>Reithrodontomys</i>	81 uneffected
4-5 uneffected	28 sprung, bait gone	52-54 uneffected	82 <i>Peromyscus</i>
6 bait gone	29.30 uneffected	55 sprung	83-85 uneffected
7 uneffected	31 bait gone	56 uneffected	86 sprung
8 <i>Peromyscus</i>	32-34 uneffected	57. bait trap	87-88 uneffected
9-13 uneffected	35 <i>Reithrodontomys</i>	58. uneffected	89-96 bait gone
14 sprung	36 <i>Dipodomys</i> .	59 <i>Reithrodontomys</i>	92 uneffected
15 <i>Dipodomys</i>	37 uneffected	60 <i>Dipodomys</i>	93 sprung, bait gone
16 uneffected	38 <i>Reithrodontomys</i>	61-70 uneffected.	94 bait gone
17 <i>Dipodomys</i>	39 " "	71 <i>Peromyscus</i>	95 sprung
18 bait gone	40 " "	72-73 uneffected	96 sprung, bait gone
19 sprung	41-44 uneffected	74 <i>Peromyscus</i>	97 Bait gone
20 sprung, bait gone	45 sprung	75 sprung bait gone	98 sprung
21 sprung bait gone	46 uneffected	76 uneffected	99 sprung
22- <i>Dipodomys</i>	47 <i>Peromyscus</i> . (rufus)	77 nestoma	100 uneffected
23 <i>Peromyscus</i>	48 <i>Dipodomys</i>	78 sprung	101 bait gone
24 uneffected	49 uneffected	79 sprung	102 bait gone
25 <i>Peromyscus</i>			