

Psaltriparus minimus minimus. One group of 18.

Melospiza pusilla. ? 2 pro.

Totanus mesoleucus. One group of 9 birds. These birds were the last to leave the pond upon my appearance. They were forced to leave after the ducks, western sandpiper, hen, gulls had left by own choice. One fed on minnow. This group of birds were the only ones observed on entire lake shore inspection.

Creunetes mauri. Dominant over the least but a slight decrease of number of 2 weeks ago.

Larus argentatus. 50 of gulls.

Larus delawarensis. Observed antics of a group of 12 gulls feeding upon small fish in a shallow ponds by hovering a foot or so above the water and then by dropping down and if failing to capture fish pursue. One gulls actually would motivate a group reaction until all gulls were jumping and bouncing up and down in air concert movement. One greater yellowlegs followed a small minnow about 3 yards in close pursuit. Its hurried gait was amusing.

Querquedula cyanoptera. Represented as usual.

Querquedula discors as usual

Ardea herodias fannini. Usual distribution.

One group of 12 birds in close grouping in mud flat at south end of lake. When they flew they dispersed and flew in different directions. When found at a pond they will fly overhead several times offering their rachis calls to warn all wildlife concerned.

Squatarola squatarola. 4 birds. Outstanding flight. Habits & actions like killdeer. Pick at object then lift head and deliberately take a step or two forward to pick at ground again in typical plow form. These birds are from 2 to 3 times as large as the killdeer.

Anthus spinoletta. 28 generally distributed. Arise from grasses near shore and fly into wind without gain, remaining in immediate area of intruder. Issuing usual calls. mainly singles

Bonasa canadensis (Sp. ?) One large bird in group of 23, flying slower and not indulging in erratic maneuvering