

green winged teal, red breasted mergansers, ⁴⁷⁰³³⁰⁻²⁰ cinnamon teal in area. Several of the duck groups left by pairs. Midges still numerous near mainland section of the dike. They are restricted to the vegetation that is gradually invading the dike from the mainland contact. The gulls are probably responsible for the lack of vegetation beyond.

Provo, Utah County, Utah.

April 5, 1947

The western Evening Grosbeak were heard calling in town today. Swallows observed on the campus of Brigham Young University. Either northern violet greens or tree swallows. Snowed one inch last nite. A robin at home has been breeding a nest since March 28th.

Provo, Utah County, Utah.

April 6, 1947

Snowed one end and half inches last nite. Photographed James R Bee today in *Asco color tricolor* transparency. Outside lighting. Photo No. 1-4-6-47

Slate Canyon S.W. Provo, Utah Co., Utah.

Checked Bonneville levels just north of the mouth of Slate Canyon. Level below Bonneville 5,000 ft., edge of Bonneville 5,085 feet; base of mt slope 5,105 feet; upper limit of clear slope to edge of rocks 5,180 feet. The level at the base of the mt. slope appears to be consistently 5,100 feet across face of Wasatch Range from Slate Canyon to Slide Canyon.

5,100
Indian rock line / Bonneville level

On the Bonneville level about 2 or 3 blocks north of slate canyon is a line of stones placed along the brim of the Bonneville level and would appear to have been placed in such a way as to suggest an Indian origin. Several rock piles should be examined for Indian ceramics. *Citellus v. utah* and the woodhouse jay most conspicuous life across the front of the range. This levels make an ideal scenic route for hiking.

Rock Canyon to Slate Canyon, Utah Co., Utah.

April 11, 1947

Annette, Edith and I made trip along Bonneville Level from mouth of Rock Canyon to slate Canyon. The fault at the mouth of Rock Canyon across the terraces measured 5,060 and 5,105 feet. This fault has been very recent as the escarpment is still preserved in the canyon bottom which has actively been undergoing aggrading and also erosion. Birds observed across the foot hills to slate Canyon are:

18 Woodhouse Jays
Bluebirds
Kinglets 2
Robin 3

magpies
Sparrow Hawk
Rock Wren
Eutamias dorsalis utahensis

Spurred Towhee.