

Lone Star Lake, Douglas Co., Kansas


Jan. 17, 1948

Collected a mink from trapper at Lone Star Lake as follows:

1a-1-17-48 Mustela vison 601-210-69-2 1/2 lbs ♂ skull only in good condition.Berryton, Shawnee Co., Kansas

Jan. 17, 1948

Participated in a coyote drive south and east of Berryton as indicated on the map. This hunt organized by local farmers and successful because of close cooperation of farmers in maintaining closed lines. 4 coyotes were shot in 8 square miles in two separate drives or, in one area, 75 coyotes per square mile and in the other area, 25 coyotes per square mile. Measures of




the four coyotes purchased for \$2.00 are as follows:

1-1-17-48	<i>Canis l. latrans</i>	1200-350-205-111-30 lbs
2-1-17-48	" " "	1185-320-203-110-30 lbs
3-1-17-48 ♂	" " "	1302-391-220-114-36 lbs.
4-1-17-48 ♀	" " "	1280-386- <u>198</u> -112-29 lbs 20 emb.

3 mi. N.E., Overbrook, Douglas Co., Kansas

Jan. 18, 1948

4 Coyotes were killed on two separate drives of local farmers of the Overbrook area. One coyote, a 5th one, a melanistic one, while likely a cross with a dog, did possess the coyote characters of ears, feet, tail and head. The length of head was fore-shortened with a pronounced curvature of the rostrum. This animal had been previously observed in a group of coyotes, reacting at the time exactly like a coyote. An albino coyote was taken previously approx



4 1/2 miles from the location of the black coyote taken today by a pack of hounds. The black coyote measured as follows: