

Still, 6 mi W Lawrence, Douglas Co., Kansas

Feb. 16, 1948

The following coyotes were purchased from coyote drive this A.M. as follows:

- 6-2-15-48 *Canis latrans* 1235-350-211-112-35 lbs. ♂ The stomach contained several *Geomys bursarius*
- 7-2-15-48 *Canis latrans* 1240-360-212-112-34 lbs ♂
- 8-2-15-48 " " 1220-355-209-113-34 lbs ♂.

The stomach contained legs of 3 chickens. As no feathers accompanied these legs, it is presumed that the feet were those of chickens clean for human consumption. In addition to this coyote, one *Bubo virginianus* was killed on the 2 hour hunt.

3 1/2 mi SSW Pleasant Grove, Douglas Co., Kansas

Feb. 21, 1948

This locality from Lawrence is 11 mi. S and 3 2/3 mi. W. Collected 11 *Sylvilagus floridana* from field of approx. 12 acres. Mr. Bailes who owns property to west of this field took 36 cottontails from this field 2 weeks ago on one afternoon hunt. Most of these rabbits were in nests covered with grass. Grass completely covering field and forming matted surfaces. Upper story of weeds sparsely placed. The rabbits were examined for tularemia but all proved negative. Numbers 1-2-21-48 to 11-2-21-48 assigned to these mammals.

4 mi. W Pleasant Grove, Douglas Co., Kansas

Feb. 22, 1948

Collected one *Sylvilagus floridanus* 1-2-22-48 in roadway at twilight. 4 others in same area. measurements only.

3 1/2 mi. SSW Pleasant Grove, Douglas Co., Kansas

Feb. 22, 1948

Set series of snap traps in Baile field and in a field belonging to Mr. Henry Florey as follows (afternoon clear but cold breeze): Research area #1-2-22-48 in Baile field and consists of 50 traps set in runways among matted grasses. This field is about 12 acres and area trapped 100 x 20 feet. Traps every 10 feet. Research area 2-2-2-48 of 4 foot high sedges in perpendicular matted condition. Along water course of permanent condition 200 feet long. Traps 51-92 placed