

9-3-27-48	<i>Reithrodontomys</i>	152-84-19.5-14-9 gms testes 8 mm.
10-3-27-48	<i>Pitymys nemoralis</i>	138-29-18-10-36 gms ♂
11-3-27-48	"	118-24-16.5-11-16 gms testes 12 mm
12-3-27-48	"	124-27-17-11-26 gms ♀
13-3-27-48	"	126-29-16.5-11-26 gms ♀ (2x0 emb 6mm)
14-3-27-48	"	119-26-17-10-21 gms ♂ testes 6 mm
15-3-27-48	"	127-28-18-11-27 gms ♂ testes 9 mm
16-3-27-48	<i>Peromyscus (light)</i>	161-76-19.5-16-20 gms ♀ no embryos

This morning pull all traps except lines of 60 and 83. The other lines were not productive and they (300 traps and others to make 300 traps) were set at Cove, Arkansas in the late afternoon.

mena, Arkansas

March 28, 1948

This A.M. inspected trap lines as follows:

3 mi SE of mena (trap line of 60 traps)

1-3-28-48	<i>Pitymys nemoralis</i>	128-29-17-10-30 gms ♀ (1x1 emb 6 mm)
2-3-28-48	"	136-27-18-11.5-32 gms ♂ testes 8 mm
3-3-28-48	"	120-27-18-11-22 gms ♂ testes 5 mm
4-3-28-48	"	92-24-16-9-9 gms ♂
5-3-28-48	Bobwhite - shot near trapline	♀
6-3-28-48	Wilson snipe	" " ♀
7-3-28-48	Henslow sparrow	♂

From trap line of 83 traps.

8-3-28-48	<i>Pitymys nemoralis</i>	111-23-16-9-18 gms ♂ testes 5 mm
9-3-28-48	"	112-24-17.5-9-14 gms ♀ no embryos
10-3-28-48	"	105-21-16-9-13 gms ♀ no embryos
11-3-28-48	"	100-21-16-8.5-10 gms ♀ no embryos
12-3-28-48	"	101-21-16.5-8.5-11 gms ♀ no embryos

From Cove, Arkansas of 300 traps set yesterday afternoon:

13-3-28-48	<i>Pitymys nemoralis</i>	121-24-17-10-21 gms ♂ testes 6 mm
14-3-28-48	"	129-29-17-9.5-26 gms ♀
15-3-28-48	"	128-27-17-10-15 gms ♂ testes 10 mm
16-3-28-48	"	130-26-17-10-25 gms ♀ no emb.
17-3-28-48	"	142-28-17.5-11-35 gms ♀ (2x1 emb 13mm)
18-3-28-48	"	132-29-18-11-31 gms ♂ testes 9 mm
19-3-28-48	"	138-30-18-10.5-33 gms ♂ testes 9 mm
20-3-28-48	"	140-29-17-10-38 gms ♀ (2x1 emb 22mm)
21-3-28-48	"	138-28-18.5-11-30 gms ♀