

At approx. 5 mi. S Robertson, Uinta Co., Wyoming photographed, 1-7-6-48, the characteristic topography of vegetational cover in this lower reaches of the Uintas. From this elevation of 7,700 ft., one looks north from this rocky benchland, across an erosional canyon and out onto the desert beyond. *Artemisia* is dominant and covers all surface except steep erosional banks. This rocky ridge of never worn boulders has a gentle grade from the desert to the base of the peaks of the Uintas and no doubt represents an erosional peneplain of the Pleistocene. A female *Centrocercus urophasianus* and her 1/4 grown young was at this point. Continued down slope to Lyman, Wyo and at this point at Lyman started a census of dead *Lepus* & *Sylvilagus* (principally) patterned in the road of Federal highway 30 from Lyman to Rawlins, Wyoming. These kills represented forms from fresh to 3 days old. Those completely unidentified and old were not counted. *Citellus*, *Cynomys* and *Eutamias* also recorded. Sum of forms per mile were recorded.

Lyman Wyoming starting at mileage 665: (only productive measured miles are recorded). (*Lepus* & *Sylvilagus* Combined)

675	1 <i>Citellus</i> , 1 rabbit	702	1 rabbit
676	1 rabbit	703	1 <i>Citellus</i> 1 "
677	1 <i>Citellus</i>	707	1 "
678	3 <i>Citellus</i> , 1 rabbit	708	1 " 1 <i>Eutamias</i>
679	1 "	709	1 "
680	1 "	710	2 " 5 "
681	3 " , 1 "	711	2 "
682	1 " 2 "	712	1 "
683	1 " 3 "	714	1 "
685	1 " 1 "	715	1 <i>Cynomys</i>
687	1 " 1 "	719	Green River, Wyoming
688	1 " 3 "	723	1 rabbit
689	4 "	724	3 "
692	2 " 3 " <i>Eutamias</i>	726	1 "
693	2 " 3 "	727	1 "
694	1 " 3 "	728	1 <i>Citellus</i>
697	1 " 3 "	730	1 "
698	1 "	732	1 "
699	1 " 1 "	735	Rock Springs, Wyoming
700	1 " 3 "	737	1 rabbit
701	1 "	740	1 rabbit