

dentomys 12-8-24-48; 43 Peromyscus 13-8-24-48; 60 Peromyscus
14-8-24-48; 65 end of line. Continued n to Raymond, Montana.

7 mi. n Raymond, 2340 ft., Sheridan Co., Montana

Aug 24, 1948

Set 30 traps in prairie in runways which were microtine in
character. Also 40 traps at 3 mi. S Medicine Lake City, 1880 ft., Sheridan
2 mi. E + 5 mi. S Culbertson 1860 ft., Richland Co., Montana Co. Montana.
E of Culbertson 1880, Richland Co. Montana. Aug 25, 1948

Collected mammals from trapline: Trap 6 Microtus 1-8-25-48;
15 Microtus 2-8-25-48; 16 Microtus 3-8-25-48; 24 Microtus 4-8-25-48;
28 Microtus 5-8-25-48. The second set from 3 mi. S Medicine Lake
as follows: trap 41 Microtus 6-8-25-48; 48 Microtus 7-8-25-48;
49 Microtus 8-8-25-48; The third set at E Culbertson 50 Peromyscus
9-8-25-48; 54 Peromyscus 10-8-25-48; 56 Microtus 11-8-25-48;
57 Peromyscus 12-8-25-48; 60 Microtus 13-8-25-48; 61 Microtus 14-8-25-48;
65 Microtus 15-8-25-48; 68 Perognathus 16-8-25-48; 17-8-25-48 the
dominant grass, 18-8-25-48 subdominate grass. Traps 80-80

from E of Culbertson 1880 ft., Sheridan Co., Montana as follows;
72 Peromyscus 19-8-25-48; 75 Peromyscus 20-8-25-48; 78 Peromyscus
21-8-25-48. at 2 mi. E + 5 mi. S Culbertson, 1860 ft., Richland
Co., Montana collected the following (this area on S side of River):
92 Microtus 22-8-25-48; 95 ~~Peromyscus~~ Microtus 23-8-25-48; 97 Peromyscus
24-8-25-48; dominant grass 25(1)-8-25-48 and equal dominant
25(2)-8-25-48. The microtines were Microtus ochrogaster.

Lomquist took 4 and are my numbers 25-26-27 and 28.
Left area and travelled West. at 6 mi. E Zurich collected
a Mustela frenata, 2200 ft. elev. in road. This area is swampy
grown to bullrushes + cattails in wet meadows. Surrounding
area grassland + some Cottonwood trees. Numerous red-wing
blackbirds in area as well as yellow-headed blackbirds.
Camp west of Malta and set traps

1 mi. W + 1 mi. N Malta, 2248 ft., Phillips Co., Montana

Aug 26, 1948

Caught 55 animals (see Catalogue. Dominant grass no
60(1)-8-26-48 and 60(2)-8-26-48. Left area and continued
to Cutbank, Montana. and set traps along edge of river slope.

1 mi. W Cutbank, 3650 ft., Glacier Co., Montana

Aug 27, 1948

From 80 traps collected 25 mammals (see Catalogue).