

| | | | |
|------|---------------------------|---|--|
| | 520706 ⁷ -14 ♀ | <i>Microtus oeconomus gilmorei</i> | 90-22-17-7-9 gms, ut. normal |
| | 520707-15 ♀ | " " | 161-40-19-12-45 gms, 2x4 emb 3.5 mm |
| | 520707-16 ♀ | " " | 155-39-19-12-46 gms, 5x2 plac. scars |
| | 520707-17 ♂ | <i>Microtus muriei</i> | 156-32-19-12-48 " , testis 8 mm |
| | 520707-18 ♀ | " " | 150-30-20-12-46 " , 3x4 emb, 7 mm |
| | 520707-19 ♀ | " " | 150-29-19-11-38 " , 3x4 emb just born |
| | 520707-20 ♂ | " " | 150-29-19-12-46 " , testis 10 mm |
| | 520707-21 ♀ | " " | 152-30-18-12-39 " , 5x4 plac. scars |
| | 520707-22 ♀ | " " | 148-28-18.5-12-43 gms, 5x5 plac. scars |
| | 520707-23 ♂ | " " | 160-31-20-13-54 " , test 10 mm |
| | 520707-24 ♂ | " " | 150-27-21-12-51 " , test 11 mm |
| | 520707-25 ♂ | " " | 156-31-21.5-13-50 " , " 9 " |
| | 520707-26 ♀ | " " | 136-28-19-12-43 " , 5x3 emb. 5 mm |
| | 520707-27 ♀ | " " | 150-28-19-12-44 " , 2x6 emb 4 mm |
| m.o. | 520707-28 ♂ | <i>Spermophilus undulatus kennicottii</i> | 255-78-78-13-166 gms, test. 5 mm |
| SK. | 520707-29 ♂ | " " | 363-113-58-14-470 " , " 9 " |
| | 520707-30 ♀ | " " | 350-114-58-14-511 " , ut. normal |
| | 520707-31 ♂ | " " | 383-120-62-15-651 " , test 9 mm |

July 8, 1952

| | | | |
|-------|-------------|---|---|
| | 520708-1 ♂ | <i>Dicrostonyx groenlandicus rubricatus</i> | 124-17-18-5-50 gms, testis 8 mm |
| SK. | 520708-2 ♀ | <i>Microtus micurus muriei</i> | 148-27-18.5-11-38 " , 3x4 emb 5 mm |
| | 520708-3 ♀ | <i>Clethrionomys rutilus dowsoni</i> | 138-38-20-15-38 " , 4x3 plac scars, just born |
| | 520708-4 ♀ | <i>Microtus micurus muriei</i> | 144-28-19-12-43 " , 3x6 emb. 7 mm |
| | 520708-5 ♀ | " <i>oeconomus gilmorei</i> | 165-45-18.5-13-37 " , 4x4 " 7 " |
| SKULL | 520708-6 ♀ | " <i>micurus muriei</i> | 152-26-19-13-49 " , 4x3 " 9 " |
| SKULL | 520708-7 ♀ | " " | 147-28-19.5-12 gms, ut normal |
| SKULL | 520708-8 ♀ | " <i>o. gilmorei</i> | 162-38-18-12-47 gms, 4x2 emb 3 mm |
| SKULL | 520708-9 ♀ | " <i>micurus muriei</i> | 150-27-21-13-43 " , 3x5 plac. scars |
| m.o. | 520708-10 ♂ | " " | 147-26-20-13-14 " , testis 11 mm |
| m.o. | 520708-11 ♂ | " " | 110-30-18-10-11 " , " 4.5 mm |
| | 520708-12 ♂ | " " | 150-28-20-12-46 gms, testis 12 mm |
| | 520708-13 ♀ | " " | 137-26-19-12-30 gms, ut. normal |
| | 520708-14 ♀ | " " | 147-30-19-12-36 " , 5x3 plac. scars |
| SKEL. | 520708-15 ♂ | <i>Spizella arlorea ochracea</i> | L. 162, wt 18, testis 5 mm |

July 9, 1952

| | | | |
|------|------------|---------------------------------|-------------------------------------|
| | 520709-1 ♂ | <i>Clethrionomys r. dowsoni</i> | 140-37-19.5-13-30 gms, testis 12 mm |
| m.o. | 520709-2 ♀ | " " | 110-28-18-12-13 " , ut. normal |
| m.o. | 520709-3 ♀ | " " | 116-27-19-12-15 " , " " |
| m.o. | 520709-4 ♂ | <i>Microtus micurus muriei</i> | 152-28-19-12-44 " , test 12 mm |
| | 520709-5 ♀ | " " | 146-30-19-13-49 " , 3x4 emb 3 mm |
| | 520709-6 ♀ | " " | 144-31-19-13-47 " , 5x3 emb 5 mm |