



Robins nesting  
 Phoebe nesting  
 Stilt sandpiper in area  
 Spotted sandpiper " "  
 black tern common  
 ringed-billed gull ? frequently observed.  
 Two black bears killed nearby by residents of area.  
 moose droppings common in area.



From rocks inspected a  
 Crinoid stem thus




Rocky Lake, Manitoba, Canada

Aug 7, 1956

Pulled all traps and placed mammals in ice. These mammals are listed above. Departed for the Pas. Spent remaining day preparing skins. Stayed at the Rupert House (Hotel). This evening set 60 traps along the railway right-

of way 1/2 mi. S of the Pas. Placed traps at contact between open meadow and forest. Caught 1 zapus and three Clethrionomys. Prepared mammals and arranged equipment for the Churchill trip.



the Churchill trip. Tickets \$36.70 round trip; drawing room \$16.00; sleeper \$14.00. Train normally leaves at 10:00 A.M. and arrives Churchill at 7:00 A.M. next morning (approx 20 hrs).

Left The Pas at 11:45 A.M. The first 100 miles of forest is of a uniform constitution, being 45 feet high (conifers) and aspen and birch three quarters that height. Bogs are numerous and generally filled in with willows and dead conifers, some are filled with living stands of dense pointed conifers.