

Red-winged black birds, on the other hand, will frequently cluster on a line and almost touch each other. Not startling chasing red-wings but not attacking them. Other large flocks of starling were common throughout the valley. At Mary's Lake, NE of Haskell Bottoms saw 2 pied-billed grebes.

1020 Tennessee Street, Lawrence, Kansas  
Oct 22, 1961

Five color photographs of Mary P and Annette C on lawn across street (Maupin residence). Annette in new red dress of Mary's from Provo. 611022-1, 611022-2, 611022-3, 611022-4 and 611022-5.

Univ. Kansas Medical Center, Kansas City, Kansas  
Oct 27, 1961

Son James and I and Annette to med. center to have cast removed from James. Will remain until tomorrow.

Oct 28, 1961

Dr. Peltier discharge James R today. To return home and without physical therapy get on crutches for one month and then return.

Haskell Bottoms, Lawrence, Douglas Co., Kansas  
Oct. 30, 1961

watched pied-billed grebe in small pond (80' in diameter) at the left hand side of road where Armstrong Road crosses the dike. The routine was to feed around edge of pond among water vegetation and after about 15 minutes return to center of pond and with regular procedure, preen feathers for about 8 minutes and then return to feeding area. In two hours (1 to 3 P.M.) this bird preened its feathers 6 times. One of the times it rested with eyes closed for about 3 minutes. Once it got a large tadpole (approx. 3/4 inch in diameter) and at the edge of the pond where it was searching for fish or tadpoles, and returned to center of pond where it softened the head of tadpole by biting it between its bill (for about 1 minute until tadpole was dead). If the tadpole was dropped, the grebe would dive and retrieve it. Finally it open the tadpole and ate the internal organs and left the rest of the body.

One group <sup>red wings</sup> continually changing flock formation (1000-1500 birds) <sup>10 to 16 ♀♀</sup> remained in the same general area around the pond for the two hours there. A red-tailed hawk (Kreider type) rested on top utility pole for 2 hrs before feeding. 9 bands on upper tail, not red