



resting on limbs in water. Wilson snipe, many sunfish and frog (bullfrogs). Farm Lake: 2 ♀♀ and 2 ♂♂ bluewings, 5 ♂ redwings, 5 Wilson snipes, 2 ♂ grockles, 2 robin, flicker, Cost, song sparrow (2) along marsh between Farm + Deep Lake; 3 robins, 6 ♂ redwing blackbirds, 1 ♀ redwing, yellow butterfly. E. side Deep Lake 2 redwings. NE of Deep Lake. Cicadellid beetle average 3 per sq yard in area 60 x 40 feet of sandy surface. I have observed these tiger beetles in same area in previous years but never in such aggregations. (saw fishermen at Bass Lake). Channel Lake, 3 ♂ redwings & 1 robin. Shallow Lake: water ^{of recent rains} now almost evaporated. meadowlark on Turnpike right of way. Park Lake: meadowlark. Corridor Lakes: 1 redwing, not many frog calls. Exposed surface of lakes (beaches) now grown to green by a 1/2" high plant. Lotus Lake: 2 snipes, 4 ♂ redwings, 7 ♂ + 3 ♀ bluewing teal, one baldpate with injured left wing but capable of flight. It remain along in lake.



middle sec 3, T. 125, R 19E, NE Lak View, Douglas Co., Kansas

April 6, 1967

James R. Bee and Stewart Brune collected the head of a red-breasted merganser, ♀ from sandbar along river (Kaw). The eyes had not receded into sockets and presumably had been killed the previous day.



Measurements are:
 exposed culmen 49 mm
 distance from anterior nares to tip of bill 36 mm