

He claims that skunks do considerably wondering. Several black skunks were introduced in a town in southern Utah, to control the degradations of the mice and gophers. Every farmer was to protect these skunk for several years and when the time came in which there was no more use for the preying animals, they were to be trapped and expense of the initial investment paid from their skins. Should it be possible that the eastern form is still intergrading with own western form in this particular area.

550 Skunk. Skull and ^{skin} skeletal measurements only.
 L. 27 1/8 in. ♂ Taken on Jordan Fur and
 T. 12 1/2 in. ♂ Reclamation Project, S. L. Co. Utah.
 F. 3 1/6 in. By Mr. Baden and presented by Dad.
 Animal very fat.

551
 L. 26 7/8 in. ♂ Same as above.
 T. 10 1/2 in. ♂
 F. 3 1/8 in.

552
 L. 26 1/4 in. ♂ Taken on Farmington Bay
 T. 10 1/2 in. ♂ Project. The dead carcass
 F. 3 3/16 in. was found in burrow-pit
 and thrown upon the bank.
 It no doubt came from
 Jordan Fur & Rec. Co., South west
 of F.B. Project. Skull & ~~skin~~
 skeletal measurements only.

1/22/38 Sand Dunes, 1.7 mi west of Curtis Station,
 Utah Co., Utah.

553 *Dipodomys ordii utahensis*. Sent to Ken Burke
 ♂ Sufficient time has elapsed for
 post-mortem changes to have occurred.
 Saved skull and reproductive system.

1/23/38 Sand Dunes, 1.7 mi west of Curtis Sta,
 Utah Co., Utah. Started with traps for dunes
 but met face to face with a real winter blizzard.
 Attempted to set out all traps but was forced
 to stop on the tenth one. This wind and snow
 blizzard was accompanied with very low temperature.
 Practically all the old holes were covered with
 sands and snow and made it rather difficult
 to find places for setting. I remained in car