

Raccoon 58 front, 62 back.
52 " 55 "
50 - 90 "

681031-165

The variation of hind foot is the result of the plantigrade condition of the hind foot.

Great Blue heron 202 (claw to claw of hind & middle toe)

greater yellow legs? 47 mm

The hind toe is recorded in this track ↓

Crow 88 mm

beaver 176 hind foot.

Lawrence, Douglas Co., Kansas

Nov. 1, 1968

Color of trees of residential area when viewed from campus of K.U., is predominantly yellow with some green trees and other isolated ones of reddish yellow of maples and dark yellow golden & reddish brown of oaks. Color of hills beyond valley are darker in general tone than city trees and show more reds, brown and gold, all of which are at their peak in color although many trees are bare of leaves. The rains have revived and maintained the green color of trees which ordinarily fade with dry weather and the strong winds from the south or north. It would estimate that the colors are at their maximum in intensity.

Kaw River, Lawrence to Linwood, Douglas - Leavenworth Cos., Kansas

Nov 3, 1968

Made solitary trip by canoe from bridge at Lawrence to R.R. bridge on Soldier Creek at Linwood. Left 8:35 A.M. Day clear except few low ones in E. Wind from NE to ENE. Temp of air 45°, water 55°F. Yesterday rained from 11:00 A.M. to midnight. Wind moderate but directly opposed to my movement. The trees on north bank of river for approx 2 miles are of the following condition: Cottonwoods of high stature are 20% green, 58% in yellow leaves and 40% leafless. The lower leaves on trees remained green & with leaves longer than upper parts of the trees. The willows of the lower story and nearer the river are now approx 50-50 yellow & green, the colors remaining distinct rather than blending.