

mourning dove 2

eastern kingbird 1-1 = 2

Eng. sparrow 95 in one flock, one of which was a tan or light brown (not white). This bird showed no preferential treatment by the other sparrows in the group.

2:54 Turnpike overpass.

meadowlark 1-1 = 2

western kingbird 1 This bird reacted to dog.

redwing blackbird 1-2 = 3

indigo bunting 1-1-1-1-1 = 5

barn swallow 1-1-1 = 3

Baltimore oriole 1

Eng. sparrow 2

robin 1

eastern kingbird 1 Ate a mulberry from tree.

grackle 1-1-1-1 = 4

black-billed cuckoo 1

dickcissel 1-1 = 2

3:15 Railroad branch to industrial area (to left)

grackle 1-1-1-3-1-1-1-1-2-1-1-6-3-2-1-1-1-1-2-1 = 32 These birds have been common in this area and previously have been noted flying from alfalfa field in lowlands to ridge to ^W and into field beyond, carrying food to young. Today these alfalfa fields are being cut and there is an unusual aggregation along tracks, either because of added feeding attraction from new mowed field or from displacement from their old feeding grounds. These fields have always supported more bird activity than corn fields to the east south

redwing blackbird 2-1-1-1-2-2-1-2-2-2-1-2-2-1-2-1-1-1 = 30

indigo bunting 1-1-1-1-1 = 5

dickcissel 1-1-1-1-1-1-1-1-1-1-1 = 12

meadowlark 1-1-1-1-1-1-1 = 7

cowbird 2-2-1 = 5

robin 1-1-1-1-1 = 5

mourning dove 1

cardinal 1

3:40 Road from farm house to left (N end of river valley field)

Baltimore oriole 1-1-1-1-1-1-1 = 7

redwing blackbird 1

Diadaphis no 700606-1
(see map, 2 4/10 mi N and 9/10 mi S
Lawrence (PO), Douglas Co., Kansas
body length 282 mm
tail length 51 mm