



338.3 horned lark. 340.4 horned lark, no water in small ponds. 345.6 jack rabbit road kill (*Lepus townsendii*), horned lark, 347.3 *Lepus townsendii* road kill, artemisia beginning, 3 inches high in over-grozed area, horned lark, 347.6 *Lepus townsendii* road kill, 349.3 2 antelope, 349.8 2 *Citellus richardsoni*, 350.6 10 Canada geese, 25 ducks, some teal and one duck at least a gadwall. 350.5 Jack's Place by lake. 1/10 mile before his place at bridge. 50 thistles? 352.0 *Citellus richardsoni* road kill. 352.0 *Citellus* road 352.6 river, 353.1 first sparrow hawk since Lawrence, Kansas or 735.8 miles without a sp. hawk, 3 *Citellus richardsoni*. 354.1 *Citellus richardsoni* rd kill. 355.7 *Citellus richardsoni*. 356.2 *C. richardsoni*, 358.3 Centennial 5:15 P.M. 364.1 marmota road kill, 364.7 upper Barber Lake road turnoff. 365.0 first snow along road. 366.0 redtail, 366.4 gates above Univ. Wyoming Summer Camp. 366.7 pine siskin. 367.5 *Eutamias* and robin. 367.9 Rocky mt. pine grosbeak and pine siskin. 369.3 *Eutamias*, robin. Continued to Libby Pass and thence back down road and camped on turnout just W of where Libby Creek flows under the road and on N side of road



There is considerable snow in area especially drifts and among trees. Engelmann spruce on mountain side



Set 50 traps among N of Libby Creek, from about 60' above valley to 300 feet up hillside. most traps set at base of spruce or under protective covering of down timber, for protection against hail or rain. This is a mature forest of Engelmann spruce with large trees, one 156 inches in circumference, chest high, and many down logs. Very little underbrush except grumbalg type coniferous growth at edge of forest which supplies good overhead protection and bare soils below. Some trees has root exposed 1 to 1 1/2 feet from removal of soils.