

and 1/10 mi. S of W end  
7 1/10 mi. E Hourglass Lake, Snowy Range, approx. 10,000 ft., Albany Co., Wyoming, (see map at bottom of page)

July 23, 1979 (continuation)

Set 50 traps in climax Engelmann forest S of meadows. Set at 3:00 P.M. Most of floor of forest bare and covered with down timber. Most traps set at base of trees on lee side from prevailing rains and under logs, again for protection from rains. This afternoon from 3:30 P.M. to 7:30 P.M. periodic rain and some small hail. Checked traps at 7:30 P.M. and caught the following mammals;


790723-1	<i>Eutamias m. operarius</i>	195-83-29-14-47gms.	♀ ut. normal
790723-2	" " "	202-91-30-14-42gms.	♂ testis 6mm
790723-3	" " "	200-88-29-14-41gms.	♂ testis 6mm
790723-4	" " "	194-91-29-14-39gms.	♂ testis 5mm

Birds observed in forest on trap line were Canada jay and 2 robins. Birds at border of meadows + forests include, Canada jay, robins (dominant), bluebird, pine siskin, slate-colored junco.

July 24, 1979

Checked traps of yesterday's setting. Reset 7:30 P.M., rained most of night. min temp +1°F last night. Captured the following mammals this a.m. and pulled traps:

790724-1	<i>Clethrionomys <sup>gapperi</sup> galei</i>	125-38-18-11-20gms	♂ testis 9mm
790724-2	" " "	140-40-18-11-22gms.	♂ testis 10mm
790724-3	" " "	143-41-18-11-24gms	♂ testis 11mm
m. only			
790724-4	" " "	120-35-18-11-18gm	♀ ut. enlarged
m. only			
790724-5	<i>Peromyscus m. nebrascensis</i>	136-58-19-16-13gm	♀ ut normal



Map from USGS Topo of following trapping area (next page). July 24, 25, 26, 1979

Tested trout in Libby Creek below camp with fly pole and 12 size fly. Caught 12 fish ranging from 5 inches to 10 inches, three of the latter prepared for a meal. Must fish in swift waters at head of smooth water or in slower water moving along edge of creek. The water below camp is about the best place for fishing.