

9:37:25	3 snowy egret to E
36:45	3 " " " W
36:40	1 " " " E
36:48	1 green heron to E
41:55	1 cattle egret to E
47:04	1 snowy egret to W
47:10	2 cattle egret to W
57:02	1 snowy egret to E
59:44	2 cattle egret to E
10:00:00	1 snowy egret to E
00:06	1 " " " W
10:01:00	1 " " " W
10:05:06	1 " " " W
07:02	1 " " " E
14:50	4 " " " W
14:52	1 green heron to W
14:20	1 snowy egret to W
18:40	1 " " " E
18:40	1 green heron to E
20:40	1 cattle egret to W
21-30	2 " " " "
23-08	2 snowy egret to E
34-30	1 " " " W
38-20	5 " " " E
40-10	5 " " " W
41-18	1 " " " W
50-05	1 " " " E
52-30	1 green heron to W
53-12	1 snowy egret to E
56:20	1 " " " E
58:20	1 " " " E
11:02:10	4 " " " E
04:35	4 " " " E
08-40	2 " " " W

Summation: (Period of 1-hr: 55 min 30 sec)

22 snowy egret passed to W
 48 " " " " E
 10 cattle egret passed to W
 7 " " " " E
 2 green heron passed to W
 3 " " " " E

or


34 egret-herons flew to W
 58 " " " " E

or

92 egret-herons observed

Those flying E would generally gain elevation to fly over high dam, others drop to river edge to E to feed. Those flying W would drop elevation and fly W beyond lake below dam.

HILLSIDE OF 40 LIVE SAGUARO TO 10 DEAD ONES.



Birds in area at camp:

- 5 green heron (repeats)
- 70 snowy egret (repeats)
- 17 cattle egret (repeats)
- 8 coot
- 38 boat-tailed grackles