

when common goldeneye dive, the tail is expanded and used to force bird down. They feed out from shore in depths suitable for mallards. (line 50)

Other lists of birds observed by ^{T.T.} members at other times of the season

On Sept. 12, 1985 (morning): snow geese (30), great blue heron, common crow, robin, starling, ring-billed gull, glaucous-winged gull, common loon, double-crested cormorant, belted kingfisher, horned grebe, western grebe, black scoter, surf scoter, american widgeon, black turnstone, hooded merganser, pied-billed grebe, red-breasted nuthatch, winter wren, Lincoln sparrow, golden-crowned kinglet, killdeer.

On Sept 20, 1985: great blue heron, ring-billed gull, common loon, horned grebe, pied-billed grebe, western grebe, double-crested cormorant, surf scoter, white-winged scoter, belted kingfisher, common crow, american robin, starling, chestnut-backed chickadee, red-breasted nuthatch, pine siskin, hairy woodpecker, killdeer, Oregon junco.

La Conner Preserve, (Thousand Trails), Skagit Co., Washington.
in ~~run run~~ ~~run run~~ Dec 19 1985 (to 10:30 A.M.)

Overlooking Skagit Bay from site 164. at 8:30 A.M. tide coming in (ebb tide). water like a mirror, fog obscures visibility beyond Hope Island. Birds in area:

great blue heron
american widgeon
bufflehead
double-crested cormorant
common goldeneye
surf scoter
american crow
northwestern crow
common loon
horned grebe
red-breasted merganser
ring-billed gull.
glaucous winged gull.
western grebe
Barrow's goldeneye (4♂ 1 female)
pelagic cormorant.
savanna sparrow.
song sparrow

numbers
There are fewer birds in area than yesterday morning. also there are more birds (numbers) earlier in morning than later in morning.

Bewick wren
winter wren