

On Flower Island, 70 glaucous-winged gull top, 44 rock n end island.
2 eastern gray squirrels on deer feeder.

10:20 A.M. 25 harbor seal on Leo Reef, 31 on north Flower Rock.
a bald eagle adult on w shore Flower Island. did not dis-
turb gulls but 3 crows harassed it continuously for 10 mins.
some approached to within 4' on rock.

Trip to S end Lopez:


Adult bald eagle over field E of 1916 School House.
1/2 mi. N 1916 School House 2 groups of goldfinch (3 and 5)
23 American Crows in field S of 1916 School House. 1 mi.
N. Richardson one group 35 starling. Robins generally distribut-
ed, Brewer's blackbirds localized in 3 places (12 birds), barn
swallows in all fields, northern violet-green swallows
occasionally, brown-headed cowbirds generally distributed.

7:30 P.M. at Bee House, American Crow, rufous-sided
towhee, purple finch, Cowbird active. None not observed
rufous hummerbird at feed for at least a week (see last
record in journal.

9:45 P.M. Leo Reef rock # 3 and # 4 approx 4" above water
whereas Big Flower Rock is only 5"-6" above water.
is approx 10" above water

June 7, 1986

8:30 P.M. currents S in front Bee House on ebb tide,



40 harbor seal on N Flower Rock.

no harbor seals on Leo Reef but 18
glaucous-winged gulls.

no mule deer today or last night.

2 brown rats at deer feeder.

First ♀ purple finch at feeder for
4 days. Finches are near 100%
of the two species. 2 young

house finches begging from ♀ house finch. Plumage of ♀
house finch more faded and torn than new plumage (more
brown). young house finch are larger than adults.

4 band-tailed pigeons at porch feeder.

Rufous-sided towhee displaces house finch.

The band-tailed pigeon locks its head then focuses on human
observer. The slightest movement, even a finger will cause
the pigeon to react or to leave porch feeder.

11:00 A.M. 38 harbor seal on Leo Reef.

14:37 A.M. 47 harbor seal on Leo Reef.