

each time. Sister + Buster still feed from hand.

Aug 6, 1987

8:20 A.M. Ad. bald eagle flew 5 past Bee House to Lichen Point and beyond. At this time of day and even earlier there is seldom birds on water between here and Leo Reef in contrast to winter period. 29 harbor seal on Leo Reef, one of which was on Leo Rock no. 7 and one on Leo Rock no. 8.

Collected the following shrew from basement Bee House.

870806-1 *Sorex vagrans*. 107-43-12-8-5 gms, ♂

10:45 A.M. Fawn of mule deer Chevron Doe (29") preceded doe by 4 minutes. Doe from top stairway trail to feeder at feeder both refused slice of apple cut window 4' from feeder but both reacted by upward jerk of heads. Both left 9 minutes later and followed same trail route. Fawn followed 10' back of doe.

1:30 P.M. mule deer, Chevron Doe and fawn arrived at feeder and both fed for 8 minutes, then left by upper trail N, fawn followed closely behind, 5'-8'.

Last week placed "Lay Crumbles" Skagit brand in feeder and rest on ground E of house. The mule deer, chipmunks, squirrels, birds would not eat the food. Crows and domestic rabbits consumed some but half-heartedly. There is something in the material that is recognized and refuse by the native mammals & birds: The product consists of:

grain
plant protein
animal protein
dicalcium phosphate
calcium carbonate
salt manganese Oxide
copper oxide
ferrous sulfate
zinc oxide
ethylene diamine dihydriodide
vitamin A acetate.

riboflavin
calcium pantothenate
niacin
cobline chloride
vitamin B-12 supplement
sodium selenite

D-activated animal sterols
dl-alpha tocopheryl acetate
menadione sodium disulfite

1495 State Highway 20 W
P.O. Box 345
Burlington, Wa 98233.