

glaucous-winged gull.
N end Willow Island; currents beginning.

glaucous-winged gull,
Pointed Island. Some number of glaucous-winged gulls
as previously reported in journal. No glaucous-winged
gulls on Black Island.

Mt. Baker 9/10 less hazy than N Rosario Straits. Below
Mt Baker valley with dense white haze or pollution.
Haze obscures Olympic Range.

2 pelagic Cormorants

E side Rosario Straits. no birds to Anacortes ferry terminal
except 1 mew gull. This trip produced the fewest
numbers of birds so far.

Arrive Chris and thence to University of Washington, at
W end bridge (across Washington Lake 350 east. (Univ. Bay
or shiplane.

March 20, 1988

At Lost Lake, Snohomish Co., Washington collected 2
salamanders under a log in coniferous forest;

880320-1 Salamander, adult, 175 mm total length, 10 gms wt,
880320-2 " " , imm, 71 mm total length, 2 gms wt,


March 22, 1988

Left Chris' on Lost Lake and returned to Anacortes ferry terminal
via river road, Everett, Mukilteo, Widby Island etc. at
pond along river road approx 3 mi NW underpass of 522 rd.
observed 9 Canada geese, 2 American widgeon, 30 mallards.

Lost Lake, Snohomish Co., Washington captured a Sorex
in deciduous-evergreen forest:

880322-1 Sorex 128-54-13-6-6 gms, ♂
Skull only.

Pileated woodpecker excavated dead red alder from 8 inches
about ground to 3 feet and 9 inches deep



Bee Estate, Humphrey Head, Lopez Island, San Juan Co., Wa.

March 23, 1988

880323-1 Peromyscus m. hallisteri 178-81-22-19-26 gms ♂
from Bee House.