


dominant ♂ mule deer
33" high at shoulders



mule deer ♂
30" high at shoulders
left ear knotted



♂ mule deer 3'
inches high at shoulder,
pelage normal and lighter
than other deer in group.



♂ mule deer, 32"
high at shoulders,

♀ 28" high at shoulders

♀ 27" high at shoulders

♀ 29" high at shoulders, scar on left, midway, inside cannon bone.

1:25 P.M. 48 harbor seal on Leo Reef (Rafts 1-7). none on outliers of Flower Island.

First gusty winds in last week or so.

6:45 P.M. 9 harbor seal on Leo Reef. Tide level increasing. 9 band-tailed pigeons at Bee feeder. 4 dark-eyed juncos (Oreg. subspecies) fed within 4" of the band-tailed pigeons.

6:40 P.M. river otter swam N past Bee House, out 25'. Feeding and swimming as it moved N.

6:45 P.M. 2 ♂ mule deer, one with 2 eye tines and the other with antlers 4" long (right longer) were both standing in water 6' out from beach of Spring Cove. Water to ankle level. Both deer raised one of their rear legs out of the water and forward and clean hair especially on outer side of leg from ankle to hoof. The angle gland was given special attention. Each hind leg was cleaned alternately but thoroughly. The buck with the 2 eye tines (just bumps) left in 5 minutes walked to upper end of beach, ate leaves of willow then ascended spring drainage. The other buck remained 12 minutes and continued to alternately clean each back leg, when lifted out of the water. It left by climbing rocky