

Day clear. many Citellus holes in area. Left 8:10 A.M. and left Bend
 10:06 A.M. ^{hy. 20} 10:11 3 turkey vultures, redtail hawk, kestrel. juniper
 trees and lodgepole pine have different life form than in Utah, thick
 trunks, short in height and more bushy like branches. 10:34
 Lake Co. line. 11:52 AM Harney Co., first raven since Bend. saw 5
 on hy. 78. 1 mi N Lawen 2 Brewer's blackbirds, 1 adult golden eagle.
 at mile post 31 turkey vulture, and red-tailed hawk. mileage post
 249 Malheur Co. line. M.P. 257 2 common raven. 273 golden
 eagle. Artemisia same height and giving carpetlike lifeform.
 280. 2 common raven. 283 red-tailed hawk. Odometer mileage 0175
 Burns Junction at 3:40 P.M. 3:52 red-tailed hawk. 3:55 3 common
 raven. 3:56 5 common raven. 3:59 common raven, Artemisia
 even-topped lifeform. 4:01 P.M. ⁴ common raven. 4:18 Bodger Rock.
 Blue mt. Summit, raven. 4:32 ¹ 2 common raven. 4:39 Common raven
 and peregrine falcon. 4:47 common raven. 4:48 P.M. Mc Dermitt, Ut.
 mileage approx 070 (car). 4:59 red-tailed hawk. 5:00 P.M. red-tailed hawk.
 5:04 red-tailed hawk. 5:06 red-tailed hawk, 5:07 red-tailed hawk.
 5:08 red-tailed hawk. 5:22 common raven. 5:36 3 common raven.
 en. 5:55 junction hy. 290. 6:22 arrive Winnemucca, Nevada.
 at mileage 99141.3

Observation summation of route from Bend, Oregon to Winnemucca, Nev.
 Chrysothamnus best developed and more common in first half route than
 second half where it is in some areas absent. In last half trip in
 many areas Artemisia low form uninterrupted distribution. In last
 part of second half Artemisia low and ruglike cover. Birds uncommon
 in first half and more numerous second half which is associated with
 broad green cultivated river bottoms. Kinds of animals: 5 jack-
 rabbits, 1 badger, 3 Citellus food bells. Hawk density dependent on
 utility poles. Small birds rare. Brewer's blackbirds (40) un-
 common. 2 shrikes.

