




URANORNIS RUBRA (Daud.)

J. Gould & W. Hart del. et lith.

Mintern Bros. imp.



Paradisea rubra, Lac.
Le Vaill. O.
p. 114, pl.
(1823).—I.
Gen. Zool.
sp. 3 (1827).
Dict. Class.
d'Orn. p. 3.
(1835).—S.
Blyth, Cat.
(1851).—I.
ii. p. 163.
Wall. Ibis.
J. f. O. 18.
Ind. xxv. p.
Tijdschr. L.
p. 170 (c.
Genov. vii.
(1879).—S.
Soc. 1885.
Le Paradis rouge, Vi.
L'Oiseau de paradis r
Paradisea sanguinea,
Raf. Trans.
Monogr. P.
Guinea, i. p.
Mus. Caen.
Dagboek, p.
Red Bird of Paradise,
Uranornis rubra, Salv.
Id. op. cit.

The brilliant red flank
raggiana and *P. decor*
it generically from the
tufts of feathers on ea
sufficient weight to ju
Although some writ
to its occurrence in
Bird of Paradise is un
some of the adjacent
The development of
and interesting featur
female lacks the beaut
gradually assumes the
specimens, believes th
plumes make their app
development, while th
The central tail-fea
the middle of the fea
Salvadori thinks that t
fancy that the change t