

REYTHROGONIA CINOTIA, Gmel.

Linnaeus Systema

Reytherogonia cinotia, Gmel. in Linn. Syst. Nat. 12, p. 1047, 1767.

This is a small, slender, cylindrical, and slightly curved, and is found in the same places as the other species of the genus.

The body is covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The head is small, and is covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The antennae are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The legs are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The wings are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The tail is small, and is covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The body is covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The head is small, and is covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The antennae are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The legs are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.

The wings are small, and are covered with a fine, granular, and slightly rough, and is of a pale, yellowish, or brownish color.