

A P P E N D I X.

xxviii

8. PARADISEA MINOR.

Add:—

*Paradisea minor*, Marshall, Arch. Néerl. vi. p. 298 (1871).—Meyer, Abhandl. k. zool. Mus. Dresden, vii. no. 2, p. 44 (1898).—Sharpe, Monogr. Parad. part vii. (1897).

*Paradisea minor (typica)*, Rothschild, Thierreich, Lief. 2, Parad. p. 40 (1898).

On the development of the plumes in this species, see Dr. Meyer's interesting article in the Dresden 'Abhandlungen' above quoted. Mr. Rothschild (*t. c.* p. 48) says that the type of Van Musschenbroek's *Paradisea minor*, var. *albescens* (Bidr. Land- en Volkenk. Nederl. Indië, vii. p. 185, 1883), is a made up specimen: the type is now in the Tring Museum.

9. PARADISEA JOBIENSIS.

Add:—

*Paradisea minor jobiensis*, Meyer, Abhandl. k. zool. Mus. Dresden, vii. no. 2, p. 46 (1898).—Rothschild, Thierreich, Lief. 2, Parad. p. 40 (1898).

*Paradisea jobiensis*, Sharpe, Monogr. Parad. part viii. (1898).

10. PARADISEA FINSCHI.

Add:—

*Paradisea minor* (nec Shaw), Madarász, Aquila, 1894, p. 90.—Id. Term. Füz. 1897, p. 27.—Reichen. J. f. O. 1897, p. 214.

*Paradisea finschi*, Meyer, Abhandl. k. zool. Mus. Dresden, vii. no. 2, p. 43 (1898).—Sharpe, Monogr. Parad. part viii. (1898).

*Paradisea minor finschi*, Rothschild, Thierreich, Lief. 2, Parad. p. 40 (1898).

GENUS XIV. TRICHOPARADISEA.

I. TRICHOPARADISEA GULIELMI.

Add:—

*Trichoparadisea guillemi*, Sharpe, Monogr. Parad. part v. (1895).—Meyer, Abhandl. k. zool. Mus. Dresden, vii. no. 2, p. 42 (1898).

*Paradisea guillemi*, Rothschild, Thierreich, Lief. 2, Parad. p. 42 (1898).

GENUS XV. URANORNIS.

I. URANORNIS RUBRA.

Add:—

*Paradisea rubra*, Marshall, Arch. Néerl. vi. pp. 297-304 (1871).—Rothschild, Thierreich, Lief. 2, Parad. p. 43 (1898).

*Uranornis rubra*, Sharpe, Bull. Brit. Orn. Club, iv. p. xiii (1894).—Id. Monogr. Parad. part iv. (1895).

GENUS XVI. PARADISORNIS.

I. PARADISORNIS RUDOLPHI.

Add:—

*Paradisornis rudolphi*, Sharpe, Monogr. Parad. part ii. (1893).—Id. Bull. Brit. Orn. Club, iv. p. xiii (1894).—Salvad. Ann. Mus. Genov. (2) xvi. p. 111 (1896).—Meyer, Abhandl. k. zool. Mus. Dresden, vii. no. 2, p. 43 (1898).

*Paradisea rudolphi*, Rothschild, Thierreich, Lief. 2, Parad. p. 43 (1898).

Dr. Loria obtained some examples of this species in the Moroka district of the Astrobabe Range, in July and August. The adult male had the "iris clear chestnut; the bill pearly-white; the feet greyish horn-colour. The food consisted of fruit, and the native name was 'Sescia' or 'Sessea.' The adult female had the feet greyish chestnut, as also had a young female, but in the latter the bill was greyish (horn-brown in the dried skin)" (*cf.* Salvad. *l. c.*).