

II. PAROTIA.

	Type.
<i>Parotia</i> , Vieill. Nouv. Dict. d'Hist. Nat. xxxi. p. 160 (1819)	<i>P. searpennis</i> .
<i>Otostylus</i> , Gloger, Handb. Naturg. p. 344 (1842)	<i>P. searpennis</i> .
<i>Range.</i> New Guinea.	

Key to the Species.

- a. Flank-plumes black.
 - a'. On the forehead a patch of silvery white.
 - a". Pectoral shield mostly metallic green, glittering with bronze and golden ; metallic bar on nape purplish-blue, with emerald-green in the centre 1. *searpennis*.
 - b". Pectoral shield fiery metallic golden ; metallic bar on nape steely-blue 2. *lawesi*.
 - b'. No white on the forehead 3. *helenæ*.
- b. Flank-plumes white.
 - c'. Cheeks and throat light ochreous or golden 4. *carolæ*.
 - d'. Cheeks and throat blackish, with a reddish-brown gloss 5. *berlepschi*.

III. LOPHORHINA.

	Type.
<i>Lophorhina</i> , Vieill. Nouv. Dict. d'Hist. Nat. xviii. p. 184 (1817)	<i>L. superba</i> .
<i>Range.</i> New Guinea.	

Key to the Species.

- a. Larger : neck-shield rounded, with pointed lateral feathers ; pectoral shield forked and pointed at the ends. *Female* with the outer aspect of the quills dark chestnut ; tail rufous-brown ; no white line behind the eye round the hind-neck 1. *superba*.
- b. Smaller : neck-shield forked, the lateral feathers rounded ; pectoral shield more square on the lower margin. *Female* with the outer aspect of the quills pale rufous ; tail olive-brown ; a line of white, black-spotted feathers from behind the eye round the hind-neck 2. *minor*.

IV. LOBOPARADISEA.

	Type.
<i>Loboparadisea</i> , Rothsch. Bull. Brit. Orn. Club, vi. p. xv (1896)	<i>L. sericea</i> .
<i>Range.</i> New Guinea.	

V. LORIA.

	Type.
<i>Loria</i> , Salvad. Ann. Mus. Civic. Genov. (2) xiv. p. 151 (1894)	<i>L. lorix</i> .
<i>Range.</i> S.E. New Guinea.	

VI. PTILONORHYNCHUS.

	Type.
<i>Ptilonorhynchus</i> , Kuhl, Beitr. Zool. p. 150 (1820)	<i>P. violaceus</i> .
<i>Range.</i> Australia.	

VII. AMBLYORNIS.

	Type.
<i>Amblyornis</i> , Elliot, Ibis, 1872, p. 114	<i>A. inornata</i> .
<i>Xanthochlamys</i> , Sharpe, Bull. Brit. Orn. Club, iv. p. xv (1894)	<i>A. subalaris</i> .
<i>Range.</i> New Guinea.	