

WALLACE & TIERNAN SALES CORPORATION



CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, NEW JERSEY



ZONE 1

May 26th 1944

University of Kansas  
Lawrence, Kansas

Gentlemen:-

Attn Mr. F. C. Allen  
Director of Physical Education  
Varsity Basketball Coach

We wish to acknowledge with thanks, receipt of \$1.00  
enclosed with your letter of May 23rd.

We regret to advise we have checked your account and  
find we only received \$43.40 to apply against your  
POV 3497 and 3589.

May we ask that you kindly check the payment of \$52.20  
further and advise us accordingly.

Very truly yours,  
WALLACE & TIERNAN SALES CORPORATION

*J. A. Tiernan*  
CREDIT DEPARTMENT *JT*

F





WALLACE & TIERNAN CO. INC.  
 CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
 NEWARK 1, NEW JERSEY



OFFICES IN PRINCIPAL CITIES

May 17, 1944

47.45  
 5.63  
 53.08 # 3497  
 43.40  
 96.48

University of Kansas  
 Physical Education.,  
 Lawrence, Kansas

Gentlemen:

A review of your account indicates  
 an amount outstanding of \$96.48, represented  
 as follows:

POV 3389 (35.60)	4/7	\$ 5.63	POV 3497 (60.00)
	4/24	43.40	
	4/29	47.45	
			35.60
			96.48

May we ask that you kindly forward a  
 check to cover the first item listed which is  
 now past due.

Thanking you in anticipation of same,  
 we remain

Very truly yours,

WALLACE & TIERNAN CO., INC.

*J. A. Tiernan*  
 CREDIT DEPARTMENT

EMB





May 23, 1944.

Mr. J. A. Tiernan,  
Credit Department,  
Wallace & Tiernan Co., Inc.,  
Newark 1, New Jersey.

Dear Mr. Tiernan:

This will acknowledge your letter of May 17th regarding our account with your firm. We find the following:

Our Purchase Order Voucher #3497 was written for \$60.00 to cover the two items of April 7 and 29. These items total \$53.08, leaving a balance of \$6.92 due us on this POV.

Our Purchase Order Voucher #3389 for \$35.60 was written for the original order of April 24, before the cost of the meter chamber base and one foot length of hose were added. These two items totaled \$7.80.

Our total payments to you (POV #3497 and #3389) amount to \$95.60, which leaves a balance of 88 cents due you, which is enclosed.

I trust this explanation is clear to you, and that you will find the account is in order.

Sincerely yours,

Director of Physical Education,  
Varsity Basketball Coach.





# WALLACE & TIERNAN SALES CORP.

CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, 1, NEW JERSEY

OFFICES IN PRINCIPAL CITIES



SC - 5822  
7343-A

SOLD TO

University of Kansas  
Physical Education  
Lawrence, Kansas

Your Order No. POV-3497  
Our Order No. Below  
Shipped Below  
Via Express Ppd. & Delivered

April 29, 1944

TERMS: 30 DAYS NET

DUPLICATE

PAYABLE IN NEW YORK FUNDS

PRIORITY CMP5A, RATING AA\_2, ALLOT:MRO  
USE DP, CLASS B\_1

Our order No. SC-7343-A shipped 4/24/44  
Our order No. KC-3794- shipped 3/23/44

1	Std. repaired comp.	30.00
1	Std. repaired gauge & dia.	8.00
1	Tube assembly	2.50
1	Ball & seat check valve	3.50
1	Box assorted MSP gaskets	1.50

45.50

Express Charges- 1.95

"Above material shipped by our Kansas City Office" 47.45

Copy of your order attached

5.63  

---

53.08

These prices are intended to be in compliance with applicable maximum price regulations. If they conflict with such regulations, adjustment will be made.

Wallace & Tiernan Sales Corporation warrant for a period of one year after shipment that the apparatus shipped is free from defects in workmanship and materials but its liability is limited to the replacement f. o. b. Newark, New Jersey of the defective parts thereof.





# WALLACE & TIERNAN SALES CORP.

CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, 1, NEW JERSEY

OFFICES IN PRINCIPAL CITIES



SC 5503

Your Order No. ....

Our Order No. ....

Shipped .....

Via .....

SOLD TO University of Kansas  
Lawrence, Kansas

April 7, 1944

TERMS: 30 DAYS NET

DUPLICATE

PAYABLE IN NEW YORK FUNDS

For the Services of our Engineer, Mr.  
Gyulay, on 3/23/44 in cleaning and  
adjusting chlorinator at swimming Pool.

5 63

These prices are intended to be in compliance with  
applicable maximum price regulations. If they conflict  
with such regulations, adjustment will be made.

*Included  
in P.O.V. 3497*

Wallace & Tiernan Sales Corporation warrant for a period of one year after shipment  
that the apparatus shipped is free from defects in workmanship and materials but its  
liability is limited to the replacement f. o. b. Newark, New Jersey of the defective  
parts thereof.





# WALLACE & TIERNAN SALES CORP.

CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, 1, NEW JERSEY

OFFICES IN PRINCIPAL CITIES



SC -7222-A

Your Order No. POV-3389

Our Order No. SC-7222-A

Shipped 3/31/44

Via Parcel Post

University of Kansas

SOLD TO

Lawrence, Kansas

April 24, 1944

TERMS: 30 DAYS NET

DUPLICATE

PAYABLE IN NEW YORK FUNDS

PRIORITY CMP5A, RATING AA\_2, ALLOT:MRO  
USE DP, CLASS B\_1

- 1 Control valve stem & seat assy.
- 1 1 ft. lgth 1/4" solution hose
- 1 Float box assembly
- 1 Overflow tube
- 1 Meter chamber base

5.50 ✓

.15

25.50 ✓

4.60 ✓

7.65

35 75

43.40

"PHYSICAL EDUCATION"

Copy of your order attached

F. O. B.  
DESTINATION

*These prices are intended to be in compliance with applicable maximum price regulations. If they conflict with such regulations, adjustment will be made.*

Wallace & Tiernan Sales Corporation warrant for a period of one year after shipment that the apparatus shipped is free from defects in workmanship and materials but its liability is limited to the replacement f. o. b. Newark, New Jersey of the defective parts thereof.



YOUR ORDER NO.

POV-3389

WALLACE & TIERNAN SALES CORPORATION  
NEWARK, N. J.

ITEM	QUAN.	✓	MATERIAL	DWG. NO.	✓	
			PRIORITY NO. CMP5A RATING AA-2 ALLOT MRO USE OF CLASS B-1			
1	ONE		CONTROL VALVE STEM & SEAT ASSY.	U-1619		
2	ONE		1 FOOT LGTH. 1/4" SOLUTION NOSE	P-513		
3	ONE		FLOAT BOX ASSY.	U-1611		
4	ONE		OVERFLOW TUBE	P-5544		
	ONE		METER CHAMBER BASE	(P-7469)		
				(P-316)		
				(P-5192)		
				(P-7472)		
				(P-5559)		

NUMBER

PACKING SLIP

SC 07222 A

NOTICE TO CONSIGNEE

NOTE - This order has been triple-checked, both as to contents and condition of same. Shortages or breakage should be reported at once to Express or Freight Agent, securing notation on express receipt or bill of lading as to damages. This should then be mailed to us immediately with your letter listing damage and quoting our order number.

PACKED BY  
*AAH*

SHIPPED

VIA

SHORTAGE

PATENTED



WALLACE & TIERNAN SALES CORPORATION



CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, NEW JERSEY



April 3, 1944

University of Kansas  
Business Office  
Lawrence, Kansas

Gentlemen:

Your formal purchase order dated March 20th addressed to our Kansas City office has been referred to Newark for attention. Shipment of all requested items will be forwarded on or before April 11th via Parcel Post on our Order No. SC-07222-A.


You will note that included in the shipment is a new style meter chamber base assembly. While this item was not requested, we found it necessary to include it in the shipment because of the following reason:

Some time ago the hard rubber float box assembly was redesigned and the friction valve assembly was omitted from the float box. The friction valve is now located in the meter chamber base assembly. We have found from experience that the relocation of the friction valve in the chamber base makes a decided improvement in the operation of your equipment.

The price of the meter chamber base is \$7.65, and while it was not provided for in your order, we are requesting our Accounting Department to bill at list price for this item and trust that you will favor us with your formal authorization to make this change. ✓ OK

Very truly yours,

WALLACE & TIERNAN SALES CORP.

  
C. G. Huegel  
Order Department

fms



May 12, 1944.

Mr. C. V. Kincaid,  
State Business Manager,  
Topeka, Kansas.

Dear Mr. Kincaid:

In placing our order for one Vacuum Chlorinator Type MSVC-M (Purchase Request No. 41556), with the Wallace-Tiernan Sales Corporation, Board of Trade Building, Kansas City, Missouri, we did so with the understanding that there is no other firm in this territory who could submit a comparable proposal for the equipment needed, including supervision of installation. The old chlorinator which is to be turned in for a credit allowance is also a Wallace-Tiernan chlorinator. This firm has installed a number of chlorinators in the state of Kansas and is the outstanding dealer of such equipment in this territory.

Sincerely yours,

Director of Physical Education,  
Varsity Basketball Coach.

PCA:AH



May 4, 1944.

AA-3  
Reed May 6

Mr. Charles B. Shaeffer,  
War Production Board,  
414 Interstate Building,  
Kansas City, Mo.

Dear Charlie:

I called your office today to inquire about our application for priority assistance on our purchase of a new chlorinator for our swimming pool, and upon learning that you were out of town, I talked to your Mr. Bingham. I appreciated his courtesy very much, and he promised to call me about the application although he was of the opinion that it is in Mr. Neal's file.

We are in somewhat straitened circumstances regarding our chlorinator, and trust that the order may go through very soon.

With kindest regards, I am

Very sincerely yours,

Director of Physical Education,  
Varsity Basketball Coach.

FCA:AH



# WALLACE & TIERNAN SALES CORPORATION



CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, NEW JERSEY



ZONE 1

District Sales Office  
426 BOARD OF TRADE BUILDING

Kansas City 6, Mo. Apr. 26, 1944.

Mr. Forrest C. Allen, Director Physical Education  
University of Kansas  
Lawrence  
Kansas

Dear Sir:

We received a letter from you dated April 7th, addressed to Mr. Gyulay, advising us that the budget committee had approved the purchase of the new Chlorinator for your swimming pool. We have heard nothing from the Business Office with reference to the purchase of this equipment. Is there anything further we can do in connection with this matter?

Yours very truly,

WALLACE & TIERNAN SALES CORP.

ROGER W. PRATT,  
ASST. DIVISION MANAGER.

This quotation is subject to thirty days acceptance and to our usual terms of payment; net cash thirty days from date of invoice; title to remain in us until the equipment is paid for in full. Sales tax, if any, to be added.

Wallace & Tiernan, Sales Corporation warrant for a period of one year after shipment that the apparatus shipped, of our manufacture, is free from defects in workmanship and materials, but its liability is limited to the replacement, f. o. b. Newark, N. J., of the defective parts thereof.



## INSTRUCTIONS FOR PREPARING WPB-541 (PD-1A)—APPLICATION FOR PRIORITY ASSISTANCE

## General:

Please type or print answers. Fill out WPB-541 (PD-1A) in triplicate and sign only duplicate copy in space No. 17 on page 2. Retain the triplicate copy for your files and send the original and duplicate to the nearest Field Office of the War Production Board, Ref: WPB-541 (PD-1A).

You must make a statement in each numbered space from 1 through 17; either supply the information requested or write "none," "not applicable," etc. If application is for capital equipment, answer question 18 also.

A separate application must be made for each *class* of material or product (or capital equipment) commonly supplied to you by a single supplier, for example, steel, electric motors, and precision tools; also a separate application must be made for each use (or product) for which such material (or capital equipment) is required, for example, if you manufacture both motors and refrigerators you must apply on a separate WPB-541 (PD-1A) for switches to be used in each.

Before filing this application, you must be sure that you will not be violating the provisions of existing L and M orders by acquiring the material or capital equipment for which you request priority assistance.<sup>1</sup> Willful violation of any of these orders constitutes a misdemeanor and the violator may be fined not more than \$10,000 or imprisoned for not more than a year or both (Second War Powers Act, 1942, Sec. 2 (A) (5), P. L. 507, 77th Congress, 53 Stat. —.)

Where a rating is requested for *use of facilities* only, that is to get work done and not material delivered, substitute the word "services" wherever "item" appears in a question. In question 12, state why you need to have this work done at this time.

## Definitions:

*Applicant* means person, firm, or corporation who has placed or intends to place order(s) for material (or capital equipment) for which priority assistance is requested.

*Supplier* means person, firm, or corporation who has received, or will receive, order(s) for which priority assistance is requested.

*Product* means that which is produced from the material (or by capital equipment) or the service which is rendered by the use of material (or capital equipment) for which priority assistance is requested.

*Material* means raw materials, semifinished, or finished products, not including capital equipment.

*Capital equipment* means machinery, equipment, or other implement ordinarily acquired as a capital asset for use and not for resale.

<sup>1</sup> If additional information is desired, communicate with nearest War Production Board Field Office.

## RESTRICTIONS ON USE OF WPB-541 (PD-1A) APPLICATION FORM

**APPLICATIONS BY DISTRIBUTORS.**—WPB-541 (PD-1A) may not be used by distributors, jobbers or wholesalers for material, including capital equipment, for resale. This form may be used by distributors, wholesalers or jobbers only to (1) purchase capital equipment *used by them in their own establishment*, or (2) request a higher rating for maintenance, repair, and operating supplies *used by them in their own business*. Distributors, jobbers, and wholesalers when applying for a rating for material for resale should use Form WPB-547 (PD-1X).

**BLANKET PRIORITY ASSISTANCE.**—WPB-541 (PD-1A) may not be used where adequate priority assistance has been made available to your industry under priority orders and regulations or CMP regulations. For example, CMP Regulation No. 5 provides ratings with which necessary maintenance, repair and operating supplies may be secured; CMP Regulation No. 4 provides for some deliveries by warehouses without the use of ratings; Priorities Regulation No. 19 provides ratings for dealers who sell farm equipment and supplies.

**APPLICATIONS FOR PROJECT RATINGS.**—WPB-541 (PD-1A) may not be used in requesting ratings on capital equipment when construction is necessary to install the equipment, unless the total cost of the equipment and its installation is less than \$200. WPB-617 (PD-200) or WPB-2570 (PD-200-c) must be used in requesting ratings for construction and equipment or for equipment when construction is necessary in its installation and the total cost of the project is more than \$200.

**APPLICATIONS FOR MATERIALS FOR EXPORT.**—Exporters or foreign applicants when filing WPB-541 (PD-1A) in any of its permitted uses are not required to submit information requested in items 16 and 18-f. Under question 4, state consignee's business, if known.

## APPLICATIONS BY INDIVIDUAL CONSUMERS

**APPLICATIONS BY FARMERS.**—Farmers should file WPB-541 (PD-1A) only after contacting dealers, nearest county farm Rationing Board or WPB Field Office to determine whether the item requested can be obtained under the provisions of Priorities Regulation No. 19 without submitting an application.

**APPLICATIONS FOR CIVILIAN PLUMBING AND HEATING EQUIPMENT.**—WPB-541 (PD-1A) may not be used by the occupant or owner of a private dwelling to apply for priority assistance in obtaining new plumbing, heating, domestic cooking equipment (except electric), for civilian residential use. Such consumers must use WPB-2631 (PD-851).

**APPLICATIONS BY OTHER INDIVIDUAL CONSUMERS: For nonbusiness use.**—Unless the item you want to buy is restricted by a WPB order no rating should be required to purchase it. If you do need a rating, answer only items 1, 2, 4, 8, 10, 12, 15, and 17.







**ANSWER ONLY IF YOUR REQUEST IS FOR PRODUCTION MATERIALS.**

**13.** List for the division or plant in which **ITEM WILL BE USED**, the total dollar value of business by groups specified below. Fill in column (a) if you have orders scheduled, **OR** if you are engaged in a service industry such as hotels, repair shops, cleaners, etc., you may fill in column (b) instead. It is not necessary to fill in both columns.

RATING	ORDERS ON YOUR BOOKS SCHEDULED FOR DELIVERY IN NEXT THREE MONTHS (a)	SALES OR BILLINGS DURING PAST THREE MONTHS (b)	PERCENT (c)
AA-1 and above			
AA-2 to AA-4 (inclusive)			
All other (rated and unrated)			
<b>TOTAL</b>			<b>100</b>

**14.** Do you have a rating which you may apply to the delivery of **THIS ITEM(S)**?  Yes  No

If yes, indicate present rating in space below

RATING AUTHORIZED BY:	RATING	SERIAL No. (If any)
WPB-541, or PD-1A (see question 10, page 1)		
WPB-2613, or PD-870		
CMP Regulation No. 5, 5A		
CMP Regulation No. 8		
P Order (specify No.)		
Other (specify):		

**15.** Item(s) for which priority assistance is requested (**DELIVERY DATES MUST BE SPECIFIC**)

Give Quantities and Description of Equipment or Material. Use Purchase Order Description in Full (Including Weight in Pounds if Requesting Raw Materials) (a)	Approximate value per unit (b)	Number of units in each shipment (c)	REQUIRED DELIVERY DATE(S)			Est. No. of months quantity requested <b>IN THIS APPLICATION</b> will last (g)	LEAVE BLANK		<b>16.</b> Quantities of these items in your inventory and/or delivery promised (exclusive of items in this request) (i)
			Month (d)	Day (e)	Year (f)		Number of units approved (h)	Rating assigned	
<b>1</b> Type MSVC-M Vacuum Chlorinator equipped with 4 lb. meter, spare 10 lb. meter capacity, standard accessories	\$1215.00	1	5	15	44	10-15 years			1 (obsolete)



18. If item(s) for which assistance is requested will be **CAPITAL EQUIPMENT** or will be used to **REPAIR** capital equipment, give following information. (Check CMP Regulations Nos. 5 and 5A to see if adequate assistance is already provided.)

A. The item(s) on which rating is requested is:

- For reserve stock.       To repair present facilities.       Other (specify).  
 To expand present facilities.       To replace present facilities.

B. Do you now have any equipment similar to that for which you are applying? (If "Yes" provide the following information.)  
 Yes       No

MAKE AND MODEL No. (Give size identification if applicable)	AGE	CONDITION	NUMBER OF UNITS	TOTAL CAPACITY (All units)
MSP Chlorinator	17 yrs.	Needs much repair & obsolete.	1	

C. How will you dispose of present equipment if requested item(s) replace it?

Send to company from whom new unit is purchased, for trade allowance

D. Does your supplier have item(s) in stock and ready for delivery?  Yes       No

E. Explain how you now do the work for which you request this equipment, and why your present method cannot be continued.

Much repair work has been done on present chlorinator in past few years, new parts have been installed, and many more new parts are now necessary to put it in first class operating condition. It would still be obsolete equipment, and will need repairs from time to time. It has already served beyond its normal lifetime.

F. REQUESTED EQUIPMENT

HOURS PER WEEK TO BE USED	ESTIMATED LIFE WITH SUCH USE
15	10-15 yrs.

**DO NOT WRITE BELOW THIS LINE**

**DENIAL**

**REASONS:** The facts presented do not warrant the granting of assistance for the procurement of the requested item(s). This item(s) is needed for purposes deemed more essential to the prosecution of the war. Your application is accordingly **DENIED**.

**CERTIFICATE**

YOU ARE HEREBY AUTHORIZED to obtain the item(s) listed in Section 15 (in the quantities specified in Column (h))

To obtain the authorized quantities of steel, copper, or aluminum, use the allotment symbol MRO in accordance with CMP regulation No. 5, or 5A, and the certification in CMP regulation No. 7.

Apply the ratings assigned in Column (i), in accordance with Priority Regulation No. 3.



# WALLACE & TIERNAN SALES CORPORATION



CHLORINE CONTROL AND CHEMICAL FEED DEVICES  
NEWARK, NEW JERSEY



District Sales Office  
426 BOARD OF TRADE BUILDING



Kansas City, Mo. **Ch. 25, 1944.**

University of Kansas  
Lawrence  
Kansas

Attention: Dr. F. C. Allen

Dear Dr. Allen:

In accordance with your request we are pleased to quote on our Wallace & Tiernan Visible Vacuum Chlorinator, type MSVC-M for replacement of your swimming pool Chlorinator which has been in service over seventeen years. It has been the practice on chlorination of pools in recent years to install this Vacuum type equipment.

Our inspection of your present equipment shows that it would necessitate expenditure of approximately \$250.00 in order to place this unit in operating condition and, at the same time, you would have obsolete equipment.

At the present time there have been parts installed and others which have been ordered for this equipment at the approximate cost of \$100.00 and, in consideration of your order for new type equipment, we will be pleased to cancel invoices on these parts and service rendered and, in addition, allow you a trade allowance of \$50.00 on your present unit.

We are submitting our proposal covering our Visible Vacuum Chlorinator at the total price of \$1,215.00 f.o.b. Lawrence, Kansas, less \$50.00 allowance, leaving a net of \$1,165.00.

We are attaching with our proposal, priority application PD-1A which will be necessary for you to file to secure proper priority rating for the purchase of this equipment.

This quotation is subject to thirty days acceptance and to our usual terms of payment; net cash thirty days from date of invoice; title to remain in us until the equipment is paid for in full. Sales tax, if any, to be added.

Wallace & Tiernan, Sales Corporation warrant for a period of one year after shipment that the apparatus shipped, of our manufacture, is free from defects in workmanship and materials, but its liability is limited to the replacement, f. o. b. Newark, N. J., of the defective parts thereof.



WALLACE & TIERNAN SALES CORPORATION


University of Kansas  
Lawrence, Kansas.

Page 2.

Trusting that we will be favored with your  
order for this equipment, we are,

Yours very truly,

WALLACE & TIERNAN SALES CORP.



J. GYULAY, JR.

Encl.