

U. S. NAVY AND AMERICAN MEDICAL ASSOCIATION REPORT

(RINGWORM OF THE FEET)

The purpose of the Bremerton Naval Test of Peda-Spray as a prophylaxis of Ringworm of the Feet is (1) to demonstrate the efficacy of the solution as having curative qualities and (2) to demonstrate its ability to prevent recurrence of Ringworm.

PROPHYLAXIS: To demonstrate a prophylaxis, it is first necessary to effect a cure.

It is proposed that these cases that are susceptible to Ringworm of the Feet be put under treatment and cured. It is further proposed to demonstrate that, with the daily use of this prophylaxis dispenser, it will prove effective in preventing ringworm recurrences. It will also demonstrate its value to these highly susceptible cases.

TREATMENT: Not less than fifty severe or advanced cases of Ringworm of the Feet should be selected for treatment. The solution as dispensed by the Peda-Spray machines, should be used in this treatment to demonstrate the curative qualities the solution may possess. The method of treatment as recommended by the manufacturer will determine the efficacy of the solution as a cure and preventive. Following and during the treatment of the selected and controlled cases, the use of the Peda-Spray prophylaxis is permitted. As many men as wish to use the prophylaxis is permitted, but the cases selected should be controlled for the purpose of this specific test.

HISTORY: An individual card bearing the patient's name, age, previous station, present address and length of infection and length of time in service is recommended. The same card should record the information as outlined below. The date of each examination should