TROPIDORHYNCHUS ARGENTICEPS, Gould.

Silvery-crowned Friar-bird.

Tropidorhynchus argenticeps, Gould, in Proc. of Zool. Soc., Part VII. 1839, p. 144.

For the first knowledge of this new species of *Tropidorhynchus*, science is indebted to Benjamin Bynoe, Esq., Surgeon of Her Majesty's Surveying ship the Beagle, who, on my visiting Sydney, placed his specimens at my disposal; since my return, other examples have been sent for my use, in this work, by His Excellency Captain Grey, now Governor of South Australia.

Mr. Bynoe's specimens were all obtained during the survey of the north-west coast, a portion of Australia the natural productions of which are but little known, and Captain Grey's during his expedition into the interior, from the same coast.

In size the Silvery-crowned Friar-bird is somewhat inferior to the common species (*Tropidorhynchus corniculatus*), from which it may also be readily distinguished by the crown of the head being clothed with well-defined, small, lanceolate feathers. Of its habits and economy nothing is known; but as it is very nearly allied to the last-mentioned species, we may reasonably conclude that they are very similar.

Crown of the head silvery grey; the remainder of the head naked, and of a blackish brown; throat and all the under surface white; back, wings and tail brown; bill and feet blackish brown.

ACTION OF COMO MISSING OF COMO MISSING OF COMO MISSING MISSI

The figure is of the natural size.